

USED MACHINERY FOR SALE
January 2022



Blow Moulding Machines
(Non Beverages)

Injection Moulding

Pipes and Profiles
Machinery



Recycling &
Compounding

Film Printing
& Converting



Thermoforming &
Sheet



Preforms &
Caps Moulding

1 & 2-Stage
PET Blow Moulding



PET, Glass &
Can Lines

Dairies



creating
smart & reliable
industrial solutions

20 YEARS
MachinePoint

Blow Moulding Machines (non-beverages)



Ref: 300042430

Extrusion Blow Moulding machines up to 2 L (2016)
MAGIC MG100D
Actual Configuration: 0,10 l
Number Of Heads: 1
Material Type: PE



Ref: 300042633

Extrusion Blow Moulding machines up to 2 L (2007)
AUTOMA AT2MS
Actual Configuration: 0,75 l
Number Of Heads: 3
Material Type: PE



Ref: 300042382

Extrusion Blow Moulding machines up to 2 L (2005)
PLASTIBLOW PB2000/DL
Actual Configuration: 1 l
Number Of Heads: 2
Material Type: PE



Ref: 300042365

Extrusion Blow Moulding machines up to 2 L (2006)
PLASTIBLOW PB2E/DXL
Actual Configuration: 0,50 l
Number Of Heads: 3
Material Type: PE



Ref: 300042630

Extrusion Blow Moulding machines from 10 L (2005)
UNILOY UMC 20-80-200K
Actual Configuration: 20 l
Number Of Heads: 1
Material Type: HDPE



Ref: 300037662

Extrusion Blow Moulding machines up to 10L (2002)
AUTOMA Plus AT10D
Actual Configuration: 4 l
Number Of Heads: 2
Material Type: PE



Ref: 300042609

Extrusion Blow Moulding machines up to 10L (2005)
MAGIC EP-L2-5D
Actual Configuration: 1 l
Number Of Heads: 3
Material Type: PE



Ref: 300041401

Accumulation Head Extrusion blow moulding machine (2005)
SOFFIAGGIO TECNICA TA180 ASPI
Accumulation Head Capacity : 1,50 l
Number Of Heads: 1



Ref: 300041027

Injection blow moulding PP/PE/PVC and other thermoplastics (2006)
JOMAR 65
Clamping Force: 47 ton



Ref: 300043248

Injection blow moulding PP/PE/PVC and other thermoplastics (2002)
UNILOY IBS 45-3S
Clamping Force: 37 ton
Number Of Cavities: 6
Material Type: PE PET



Ref: 300040813

Bottle printing machines (2012)
KASE KSP-6000 CNC 6
Number Of Colours: 6



Ref: 300042299

Bottle printing machines (2000)
KAMMANN K-14U
Number Of Colours: 2
Glass and plastic printing for cylindrical, oval containers



Ref: 300041461

Bottle printing machines (2004)
OMISO IMPREX 2
Number Of Colours: 5
Diameter: 20 mm - 250 mm
Length: 40 mm - 320 mm



Ref: 300043313

Tubes printing machines (2004)
DUBUIT 951
Number Of Colours: 5
Impression Type: Silk screen
Tube Diameter: 13,50 mm - 55 mm



Ref: 300040891

Tubes printing machines (2015)
OMISO SERVODRIVEN M3 LABEL
Labelling machine
Tube Diameter 15 mm - 60 mm
Tube Length: 40 mm -230 mm




Ref: 300040905

Chemical filling lines (2019)
NEWECO NTA 400
Fully automatic tube filling machine for aluminium tubes



Ref: 300042455

Extrusion lines for cosmetic tubes (2016)
COMBITOOL CSM-CJM-CBM 16/80
Tube Diameter 16 mm - 50 mm
Tube Length 50 mm - 200 mm




Ref: 300042570

Extrusion lines for cosmetic tubes (1999)
AISA PTH 120
Tube Diameter: 19 mm - 56 mm
Output: 120 tubes/min



Ref: 300042869

Air Compressors (Low Pressure) (2017)
ATLAS COPCO GA90 VSD
Air Pressure: 7,50 bar
Delivery Rate: 1080 m³/h
Compressor Type: Screw



Ref: 300042787

Bottle printing machines (2002)
KASE K908 CNC V H8
Number Of Colours: 9
Diameter: 50 mm - 100 mm
Length: 110 mm - 250 mm

Injection Moulding & Thermoforming Machines



Ref: 300039752

Injection molding machine up to 250 T (2008)

ENGEL E-motion 740/150

Clamping Force: 150 ton
Shot Weight (Max): 365 g



Ref: 300043277

Injection molding machine up to 250 T (2005)

NEGRI BOSSI VE 120-440

Clamping Force: 120 ton
Shot Weight (Max): 210 g



Ref: 300037765

Injection molding machine up to 250 T (2011)

BATTENFELD CM40-130

Clamping Force: 40 ton
Shot Weight (Max): 55,90 g



Ref: 300042731

Injection molding machine up to 250 T (2000)

NETSTAL Synergy 1750-900

Clamping Force: 175 ton
Shot Weight (Max): 301 g



Ref: 300042612

Injection molding machine up to 250 T (2009)

KRAUSS MAFFEI KM 160-1000 CX

Clamping Force: 160 ton
Shot Weight (Max): 566 g



Ref: 300042183

Injection molding machine from 250 T up to 500 T (2019)

DEMAG Systec 350/720-1450 C

Clamping Force: 350 ton
Shot Weight (Max): 557 g



Ref: 300039459

Injection molding machine from 250 T up to 500 T (2008)

TOYO SI 450 III

Clamping Force: 440 ton
Electrical machine



Ref: 300043224

Injection molding machine from 500 T up to 1000 T (2007)

FERROMATIK MILACRON Maxima Topline 650

Clamping Force: 650 ton
Shot Weight (Max): 3805 g



Ref: 300040023

Injection molding machine from 500 T up to 1000 T (2003)

HUSKY Hylectric H800 RS135/115

Clamping Force: 800 ton
Shot Weight (Max): 4620 g



Ref: 300043038

Injection molding machine from 500 T up to 1000 T (2013)

KRAUSS MAFFEI 550-4300 GX

Clamping Force: 550 ton
Shot Weight (Max): 2084 g



Ref: 300041775

Injection molding machine from 1000 T (2017)

SUMITOMO, DEMAG Systec 1500/1500-11500

Clamping Force: 1500 ton
Shot Weight (Max): 5217 g



Ref: 300042694

Robot (2008)

SEPRO PIP 3500 S8 VISUAL

Robot Type: Cartesian
Entry Point: Top
Robot Drive: Servo



Ref: 300041652

Complete Plant for EPS packaging (2017)

INOVAS InTerm-C06 + InTerm-C04

Fully equipped EPS tableware production line



Ref: 300043033

EPS Shape Moulding Machines (2004)

KURTZ K15.526

EPS insulating boards (mold shape) with ship laps in 2,5m x 0, 6 m x 2 cm to 12 cm thickness



Ref: 300037224

Lids printing machines (2011)

OMSO DM 44/6N

Number Of Colours: 6
Lid Type: Round & Square
Diameter: 40 mm - 290 mm



Ref: 300039681

Blister and Skin (2006)

ILLIG HSA -50D, FS-35

Machine Type: Blister
Forming Area (Vxh): 330x320
Thickness: 0,3 microns



Ref: 300043136

Sheet monoextrusion lines (2007)

UNION TAV.1000

Materials: PS, PP, PET
Film Width (Max): 850 mm
Film Thickness: 0,20 mm - 0,70 mm



Ref: 300039600

Complete thermoforming sheet extrusion lines (2010)

W.M. WRAPPING MACHINERY SA INTEC 1000

Material: HIPS, GPPS
Forming Area (Vxh): 1000 x 1000 mm



Ref: 300043261

Thermoformer (2000)

ILLIG UA 225 / 4g BE

Forming Area (Vxh): 2200x1200
Depth Of Draw: 700 mm
Material Thickness (Max): 12 mm



Ref: 300041607

Thermoformer (2010)

ILLIG RDKP 54G

Material: PET, HIPP
Forming Area (Vxh): 495x410
Depth Of Draw: 120 mm

Pipes & Profiles Extrusion Machines



Ref: 300033840

Extrusion line for corrugated pipes (2000)
UNICOR UC 1000/9 IV
Diameter: 300 mm - 1000 mm
Material: PE
Double Wall: Yes



Ref: 300040001

Extrusion line for corrugated pipes (2002)
CORMA 4020-760P
Diameter: 200 mm - 1000 mm
Material: PE
Double Wall: Yes



Ref: 300043355

Extrusion line for PE/PP pipes (2008)
COLLIN E30P
Diameter: 2 mm - 25 mm
Screw Diameter: 30 mm
Number Of Screws: 1



Ref: 300038319

Extrusion line for PE/PP pipes (2005)
AMUT EA 60-28D
Diameter: 20 mm - 70 mm



Ref: 300041963

Extrusion line for pipes and tubes (2016)
GOLDSTONE 3000
Diameter: 1050 - 2100 mm



Ref: 300042474

Extrusion line for pipes and tubes (2014)
KRAH KR 800
Diameter: 300 mm - 3000 mm
Screw Diameter: 125 mm



Ref: 300041815

Pipe and tube calibrating tank (2012)
SIKORA X-RAY 6120
Diameter: 10 mm - 110 mm



Ref: 300042801

Pipe belling and socketing machine (2003)
IPM BS/R 250
Diameter: 32 mm - 250 mm
Number Of Heating Stations: 4



Ref: 300041737

Saw for tubes (2007)
SICA TRS/C/SY 25-160 CNC
Diameter: 25 mm - 160 mm
Materials: PP



Ref: 300043381

Co-extruder (2012)
GREINER GCE 30-F
Screw Diameter: 30 mm
Throughput: 16 kg/h



Ref: 300043081

Twin-screw extruder for PVC (2003)
FRIUL FILIERE E63 Bivite
Screw Diameter: 60 mm
Throughput: 250 kg/h
Type Of Rotation: Counter rotating



Ref: 400000014

Complete plant for profiles (2016)
BAUSANO-RAJOO MD 130/30
WOODPLEX RBMD 130-30 plant for WPC/PVC



Ref: 300039535

Extrusion line for PVC profiles (2008)
BAUSANO MD 90/23 Plus
Profile Width (Max): 250 mm
Output Capacity: 500 kg/h



Ref: 300043020

Extrusion line for PVC profiles (2010)
KRAUSS MAFFEI KMD 75-32
Profile Width (Max): 240 mm
Output Capacity: 200 kg/h



Ref: 300043024

Extrusion line for PVC profiles (2008)
KRAUSS MAFFEI KMD 90-XS/P
Profile Width (Max): 240 mm
Output Capacity: 250 kg/h



Ref: 300043021

Extrusion line for PVC profiles (2012)
CINCINNATI EXTRUSION KONOS 50P
Profile Width (Max): 235 mm
Output Capacity: 100 kg/h



Ref: 300042295

Extrusion line for PVC profiles (2003)
THEYSOHN TTS 108
Profile Width (Max): 125 mm
Output Capacity: 350 kg/h



Ref: 300035031

Laminating and wrapping machines for profiles and panels (2007)
WPR WP00L80S
Online laminator for profile 600 mm wide
Hot melt application system



Ref: 300042679

Saw for profiles (2015)
BARUFFALDI TG TVS/300
Maximum Diameter: 300 mm



Ref: 300042652

Saw for profiles (2012)
FRIUL FILIERE TG GHI65
Diameter 60 mm
Cutting Stroke (Max): 350 mm

Recycling & Compounding Machines



Ref: 300043151

Grinder - Granulator (1997)
WEIMA WLK 12/37
Rotor Diameter: 368 mm
Input Throat (Width): 1200 mm



Ref: 300040597

Shredder (2003)
BANO RECYCLING BIMAC 2800/700
Output Capacity: 10 000 kg/h



Ref: 300039650

Shredder (2010)
WEIMA WLK 25 SJ
Output Capacity: 4000 kg/h
Rotor Diameter: 600 mm
Rotor Length: 2500 mm



Ref: 300042314

Pulverizer (1995)
PREVIERO PD 300
Output Capacity: 450 kg/h
Disc Diameter: 300 mm



Ref: 300042323

Grinder - Granulator (2007)
SHINI SG 2042
Rotor Diameter: 200 mm
Output Capacity: 135 kg/h
Rotor Length: 420 mm



Ref: 300040812

Washing plant (2017)
AMIS,ZERMA
Output Capacity: 500 kg/h
Material : PET
Input Capacity: 500 kg/h



Ref: 300040896

Single screw repelletizing line (2013)
PLASMALPHA Alpha 45
Screw Diameter: 45 mm
Output Capacity: 40 kg/h



Ref: 300041944

Single screw repelletizing line (2009)
EREMA 1310 TVE Plus
Screw Diameter: 100 mm
Output Capacity: 500 kg/h



Ref: 300042157

Single screw repelletizing line (2018)
STARLINGER RecoSTAR universal 65 VAC
Screw Diameter: 65 mm
Output Capacity: 150 kg/h
Screw L/D Ratio: 40



Ref: 300040940

Recycling plant PET-waste (2010)
HERBOLD
Output Capacity: 1000 kg/h
Last Material Recycled: PET



Ref: 300042210

Dosing and metering equipment (2012)
ENGINPLAST
Gravimetric mixer



Ref: 300042196

Compounding extrusion lines (2005)
LEISTRITZ, REIFENHAUSER HFL 110/48 - HFL 50/20
Complete production line for PROFILES:
WPC, plastic RPC or plastic SPC



Ref: 300033671

Combination mixers (2012)
PLASMEC COMBIWOOD-HC/300/1000/FV/W-PP/PE
Mixing Capacity: 300 l
Cooling Capacity: 1000 l



Ref: 300039914

Twin-screw extruder for PE/PP compounds (2001)
LEISTRITZ ZSE 50GL - 36D
Screw Diameter: 50 mm
Throughput: 120 kg/h
Screw L/D Ratio: 36



Ref: 300042444

Twin-screw extruder for PE/PP compounds (1993)
WERNER & PFLEIDERER ZSK 70-36D
Screw Diameter: 70 mm
Throughput: 500 kg/h



Ref: 300038315

Twin-screw extruder for PVC compounds (2003)
AMUT BA 72
Screw Diameter: 72 mm
Throughput: 180 kg/h
Screw L/D Ratio: 22



Ref: 300043301

Twin-screw extruder for PVC compounds (2012)
BAUSANO MD 125/30R
Screw Diameter: 125 mm
Throughput: 800 kg/h
Screw L/D Ratio: 30



Ref: 300043360

Twin-screw extruder for other materials (2008)
COLLIN ZK 35
Screw Diameter: 35 mm
Screw L/D Ratio: 56



Ref: 300042572

Twin-screw extruder for other materials (2015)
CLEXTRAL EV 25
Screw Diameter: 25 mm
Screw L/D Ratio: 24



Ref: 300039885

Head cutting (2016)
GAMMA MECCANICA TDA 5.0 C405L
Output Capacity: 1000 kg/h

Film Machines



Ref: 300042818

Coextrusion lines (2016)

WINDMÖLLER & HÖLSCHER
Optimex

Materials: LDPE
Film Width (Max): 1800 mm
Output Capacity: 370 kg/h



Ref: 300043126

Coextrusion lines (2009)

MACCHI COEX FLEX

Materials: LLDPE
LDPE,PA,METALLOCENE,EVOH
Film Width (Max): 2100 mm
Output Capacity: 480 kg/h



Ref: 300043306

Coextrusion lines (2005)

CMG Coex HO 1200/3x40/32

Materials: LDPE, HDPE
Film Width (Max): 1180 mm
Output Capacity: 115 kg/h



Ref: 300041190

Mono extrusion lines (2013)

ZOCCHI 70HD 1400S

Materials: PE HDPE
Film Width (Max): 1100 mm
Output Capacity: 180 kg/h



Ref: 300042028

Stretch film extrusion line (2017)

SML Minicast Ecocompact

Layers no: 5
Web Width: 1500 mm



Ref: 300042421

Bi-axial film extrusion & stretching line(1997)

BRÜCKNER BOPP

Biaxial Material Type: BOPP
Film Width (Max): 6300 mm
Layers no: 3



Ref: 300043296

Laminators (2003)

NORD MECCANICA
Simplex SL L 1100

Type Of Laminator: Solventless
Working Width: 1115 mm
Unwinder Diameter: 850 mm



Ref: 300042156

Laminators (2016)

UTECO Izar Mod. 140

Type Of Laminator: Solventless
Working Width: 1450 mm
Unwinder Diameter: 1000 mm



Ref: 300042356

Metallizer (2012)

BOBST K4000

Web Width: 2450 mm
Material Type: BOPP PET, CPP, LDPE,
NYLON,UPVC
Max Reel Diameter: 1000 mm



Ref: 300043378

Pouch making machine (2016)

TOTANI FD-60DL68

Welding Width: 1600 mm
Bag Length (Max): 600 mm
Cycles Per Minute: 150 U/min



Ref: 300039542

Slitter-rewinders for Adhesive Tapes (2010)

GHEZZI & ANNONI RS 240

Working Width: 2000 mm
Slitting Width (Min): 24 mm
Parent Roll Diameter: 1000 mm



Ref: 300043335

T-Shirt bags on the roll (2009)

ROLLOMATIC Delta 860

Welding Width: 860 mm
Bag Length: 200 mm - 2000 mm
Cycles Per Minute: 300 U/min



Ref: 300043059

6 Colours CI Flexo Printing Machines (1997)

BIELLONI Selecta Seconda

System: Geared
Printing Width: 1200 mm
Web Width: 1250 mm



Ref: 300043188

8 Colours CI Flexo Printing Machines (2003)

COMEXI FP 1808 GL

Printing Width: 1220 mm
Web Width: 1240 mm
Printing Repeat: 350 mm - 680mm



Ref: 300042825

8 Colours CI Flexo Printing Machines (1999)

WINDMÖLLER & HÖLSCHER

Soloflex 8L
Printing Width: 820 mm
Web Width: 850 mm
Printing Repeat: 250 mm - 600 mm



Ref: 300042725

10 Colours CI Flexo Printing Machines (2007)

FLEXOTECNICA 10NG

Printing Width: 1050 mm
Web Width: 1100 mm
Printing Repeat: 350 mm - 900 mm



Ref: 300043144

Label flexo printing machines (2008)

GALLUS EM 280

Number Of Colours: 7
Printing Width: 280 mm
Printing Repeat: 203,20 mm - 457,20 mm



Ref: 300042871

Rotogravure printing machines (2013)

BOBST MW 80 800/250

Number Of Colours: 10
Printing Width: 850 mm
Printing Repeat: 350 mm - 800 mm



Ref: 300039221

Rotogravure printing machines (2002)

WINDMÖLLER & HÖLSCHER

HELIOSTAR 2000
Number Of Colours: 9
Printing Width: 1200 mm
Printing Repeat: 450 mm - 1050 mm



Ref: 300040703

Other Machines (2009)

SOMA Bulldog K3513

Machinery for die cutting aluminium lids with
2 knurling rollers and 2 cutting matrix

Beverages Machines



Ref: 300040624

Injection moulding machine for PET preforms (2008)
HUSKY HyPET 90 RS 65 E65
Number Of Cavities: 16



Ref: 300043035

Injection moulding machine for PET preforms (2008)
HUSKY HyPET 225 / P85/95E85
Number Of Cavities: 48
Full molds and 5 share moulds complete set



Ref: 300039748

Rotary compression moulding press (2008)
SACMI CCM48SA
Output (caps/min): 800
Type of closure: PCO 1810



Ref: 300040867

Rotary compression moulding press (2014)
SACMI CCM24S
Number Of Stations: 24
Output (caps/min): 600
Type of closure PCO 1881, 1810



Ref: 300043180

Injection stretch blow moulding machines for PET bottles (2011)
NISSEI ASB 50 MB V3
Dryer and loader L&T, no moulds



Ref: 300042219

Injection stretch blow moulding machines for PET bottles (2009)
NISSEI ASB 70 DPH V4
Without auxiliaries and molds



Ref: 300043257

Injection stretch blow moulding machines for PET bottles (2007)
NISSEI ASB 50 MB V3
Dryer and loader L&T, no moulds



Ref: 300040952

Stretch blow moulding machines (2009)
SIPA SFL 4/4
Neck: 21/29, 23/29, PCO, 28410 & 38mm
Output: 7200 U/h
Container Size (Max.): 3 l



Ref: 300043322

Stretch blow moulding machines (2013)
MECCANOPLASTICA MIPET 1G
Neck: 28/410 - 38 Bericap - 48
Output: 2000 U/h
Container Size (Max.): 10 l



Ref: 300041231

Stretch blow moulding machines (2010)
SIDEL SBO 6/6 Universal
Neck: 29/25 - 30/25 PCO 1881
Output: 10 800 U/h
Container Size (Max.): 3 l



Ref: 300040986

Stretch blow moulding machines (2007)
KOSME KSB 4L
Neck: PCO 1881 - 181
Output: 5000 U/h
Container Size (Max.): 2,50 l



Ref: 300042133

Air Compressors (High Pressure) (2016)
BELLIS & MORCOM VH21 H3N
Air Pressure: 40 bar
Delivery Rate: 1400 m³/h
Compressor Type: Piston



Ref: 300043352

PET Filler for W&SD (2007)
PROCOMAC Fillstar PET 2 140-20-113 ADV
Output: 19 000 U/h
Volume: 1,50 l



Ref: 300042567

Complete PET filling line for sparkling water (2006)
SIDEL SF SELECT BV 63
Output: 14 000 U/h
Bottle Size: 1,5 l
Valves-Filling Heads: 63



Ref: 300042401

Complete filling lines for carbonated drinks (2009)
KHS Hasna 100/202/20
Output: 18 000 U/h
Bottle Size: 1,5 l
Valves-Filling Heads: 100



Ref: 300042349

Complete filling lines for carbonated drinks (2007)
KHS INNOFIL
Output: 10 500 U/h
Bottle Size: 1-2 l



Ref: 300043286

Cap Applicators (2012)
TETRA PAK Cap30 Flex
Related Filling Machine: A3 Flex
Output: 8400 U/h
Configured for 1 l Prisma Helicap 27



Ref: 300042083

Pasteurizer (2011)
TETRA PAK Tetra Therm Lacta
Output (L/H): 5000 l/h
Pasteurizing temperature: 98 gr.C



Ref: 300043346

Other carton filling machine (2006)
IPI NSA 70
Volume (Max): 1000 ml
Format: Base
Output: 3800 U/h



Ref: 300042107

Dairy bottling Line (2011)
KRONES Contiform S8
Output: 12 000 U/h
Bottle Size: 0,5 and 1 l
Valves-Filling Heads: 40

Head Office - Europe

Parque Tecnológico de Boecillo
C/ Andrés Laguna, 9 - 11.
E - 47151. Boecillo. Valladolid

Spain

Tel: +34 983 549 900
Fax: +34 983 549 901

Email: info@machinepoint.com
www.machinepoint.com

France

Tel: +33 975 181 356
Email: france@machinepoint.com

Germany

Tel: 0800 1808469
Email: germany@machinepoint.com

UK

Tel: +44 1617 680 055
Email: uk@machinepoint.com

Italy

Tel: +39 0697 628 293
Email: italy@machinepoint.com

Russia / Россия

Tel: +7 499 918 65 83
Email: russia@machinepoint.com

Poland Beverages

Tel: +48 223 071 193
Email: poland.beverages@machinepoint.com

Poland Plastics

Tel: +48 223 071 201
Email: poland.plastics@machinepoint.com

Turkey

Tel: +90 212 900 4716
Email: turkey@machinepoint.com

North America

Tel: +1 415 349 0056
Email: north.america@machinepoint.com

Mexico

Tel: +52 442 348 6609
Email: mexico@machinepoint.com

South Africa

Tel: +27 105 003745
Email: southafrica@machinepoint.com

India

Tel: +91 117 1279 996
Email: india@machinepoint.com

Singapore

Tel: +65 31 588 607
Email: singapore@machinepoint.com